

|             |                              |
|-------------|------------------------------|
| Universe    | Professional                 |
| Type        | Verticality                  |
| Category    | Ropes                        |
| Subcategory | Low stretch kernmantel ropes |




## VECTOR 12.5 mm


The VECTOR 12.5 mm low stretch kernmantel rope is designed for rescue. The large diameter ensures great strength and excellent grip when handling heavy loads. The EverFlex technology guarantees great flexibility and consistent performance over time. Rope available in six colors and four lengths.



The large diameter ensures great strength and excellent grip when handling heavy loads.



EverFlex technology ensures great flexibility over time and under any conditions (water, dust, mud...), allowing it to maintain consistent handling and optimal performance with devices.



It is possible to order a rope of a specified length.

---

**Short Description** Low stretch kernmantel, high-strength rope with excellent handling, for rescue

---

**Selling Points**

- Large diameter, ensuring great strength and excellent handling when manipulating heavy loads
- Consistent performance over time:
  - construction with nylon core and polyester sheath, with specific weave
  - EverFlex technology ensures great flexibility over time and under any conditions (water, dust, mud...), allowing it to maintain excellent handling and optimal performance with devices
- Available in six colors for easier identification of different kits: white, yellow, black, blue, red and orange
- Standard lengths: 50, 100, 200 and 500 m
- Customization on request:
  - option of ordering a rope of a specified length (up to 700 m)
  - addition of sewn terminations manufactured on one or both ends, providing a ready-to-use rope. These terminations have a protective sheath that keeps the connector in position and facilitates handling. They are also stronger than a figure-eight knot





---





**Specification**





- Diameter: 12,5mm
- Material(s): polyester, nylon
- Certification(s): CE EN 1891 type A, UKCA, EAC, NFPA 2500 General Use, XF 494
- Weight per meter: 111g
- Strength tied with figure-eight knot: 23kN
- Strength with sewn termination: 34kN
- Impact force (factor 0,3): 5,7kN
- Number of factor 1 falls: 15
- Construction: 32 carrier
- Percentage of sheath: 46%
- Static elongation: 2,8%





---




## Specifications by reference

| Reference(s)     | R078AA03  | R078AA04  | R078AA05  | R078AA38  |
|------------------|---|---|---|---|
|                  |  |  |  |  |
| Length           | 50 m  | 50 m  | 50 m  | 50 m  |
| Color(s)         | white   | yellow  | black   | blue  |
| Made in          | CZ  | CZ  | CZ  | CZ  |
| Guarantee        | 3 years   | 3 years   | 3 years   | 3 years   |
| Inner Pack Count | 1   | 1   | 1   | 1   |
| Quantity Per Box | 1   | 1   | 1   | 1   |
| EAN              | 3342540816732   | 3342540816749   | 3342540816756   | 3342540822733   |

| Reference(s)     | R078AA39  | R078AA40  | R078AA09  | R078AA10  |
|------------------|---|---|---|---|
|                  |  |  |  |  |
| Length           | 50 m  | 50 m  | 100 m   | 100 m   |
| Color(s)         | red   | orange  | white   | yellow  |
| Made in          | CZ  | CZ  | CZ  | CZ  |
| Guarantee        | 3 years   | 3 years   | 3 years   | 3 years   |
| Inner Pack Count | 1   | 1   | 1   | 1   |
| Quantity Per Box | 1   | 1   | 1   | 1   |
| EAN              | 3342540822948   | 3342540822955   | 3342540816794   | 3342540816800   |

| Reference(s)     | R078AA11  | R078AA12  | R078AA13  | R078AA14  |
|------------------|---|---|---|---|
|                  |  |  |  |  |
| Length           | 100 m   | 100 m   | 100 m   | 100 m   |
| Color(s)         | black   | blue  | red   | orange  |
| Made in          | CZ  | CZ  | CZ  | CZ  |
| Guarantee        | 3 years   | 3 years   | 3 years   | 3 years   |
| Inner Pack Count | 1   | 1   | 1   | 1   |
| Quantity Per Box | 1   | 1   | 1   | 1   |
| EAN              | 3342540816817   | 3342540816824   | 3342540816831   | 3342540816848   |

| Reference(s)     | R078AA21  | R078AA22  | R078AA23  | R078AA24  |
|------------------|---|---|---|---|
|                  |  |  |  |  |
| Length           | 200 m   | 200 m   | 200 m   | 200 m   |
| Color(s)         | white   | yellow  | black   | blue  |
| Made in          | CZ  | CZ  | CZ  | CZ  |
| Guarantee        | 3 years   | 3 years   | 3 years   | 3 years   |
| Inner Pack Count | 1   | 1   | 1   | 1   |
| Quantity Per Box | 1   | 1   | 1   | 1   |
| EAN              | 3342540816916   | 3342540816923   | 3342540816930   | 3342540816947   |

| Reference(s) | R078AA25  | R078AA26  | R078AA28  |
|--------------|---|---|---|
|              |  |  |  |
| Length       | 200 m   | 200 m   | 500 m   |

|                  |               |               |               |
|------------------|---------------|---------------|---------------|
| Color(s)         | red           | orange        | white         |
| Made in          | CZ            | CZ            | CZ            |
| Guarantee        | 3 years       | 3 years       | 3 years       |
| Inner Pack Count | 1             | 1             | 1             |
| Quantity Per Box | 1             | 1             | 1             |
| EAN              | 3342540816954 | 3342540816961 | 3342540816985 |

---

|                       |  |
|-----------------------|--|
| <b>Accessory(ies)</b> | PROTEC<br>SET CATERPILLAR<br>ROLL MODULE |
|-----------------------|--|

---

|                           |                 |
|---------------------------|-----------------|
| <b>Related product(s)</b> | I'D® L<br>ASAP® |
|---------------------------|-----------------|