



• In addition to routine checks for each use, PPE should regularly undergo a detailed inspection by a competent person. Petzl recommends an						
inspection every 12 months and after any exceptional event in the life of the product.						
 PPE inspection should be conducted with the manufacturer's Instructions for Use. 						
Download the instructions at PETZL.COM.						

SWIVEL OPEN

User information Surname Address

PPE information

Model

Serial number

Year of manufacture

Date of purchase

Date of first use

Identifier

		Manufacturer: Petzl, ZI Cidex 105A - 38920 Crolles - France								
Good condition (G)	C To monitor (TM)	K To repair (TR)	Ø ► J Do not use, retire (F	Ø► D Do not use, retire (R)		N/A Not applicable				
1. Known product history Usage conditions or exceptional event during use (examples: fall or fall arrest, use or storage at extreme temperatures, modification outside manufacturer's facilities) :										
				\oslash	Q,	X	⊗• 🚡	N/A		
2. Preliminary observations Verify the presence and legibility of the serial number and the CE mark. Verify that the product lifetime has not been exceeded. Compare with a new device to verify there are no modifications or missing elements.										
 3. Inspecting the frame Check the condition of the frame (marks, wear, cracks, deformation, corrosion). Check for wear caused by rope movement, or by contact with anchors (depth of marks: retire your SWIVEL if it shows any wear greater than one mm deep. Check for the presence of any sharp edges). 										
 4. Checking the spacers and screv Check the condition of the spacers (r Check the condition of the screws (r Verify the presence and the condition 	narks, wear, cracks, deformation, corr narks, wear, cracks, deformation, corro									

5. Checking the axle and bearing

• Check the bearing for smoothness of rotation, in both directions.

Whate sure there is no excessive play between the two parts of the frame.
Verify that the axle cover is present.
Check the condition of the axle rivet (marks, wear, cracks, deformation, corrosion...).

Comments (detail here any defects found on the product and accomplished tasks)									
VERDICT			Inspected by						
_	Product fit to remain in service		Company						
	Product unfit to remain in service		Date	Next inspection date					